

Nenad POPOVIĆ

NEW PERSPECTIVE OPEN PIT MINES IN KOLUBARA LIGNITE BASIN IN SERBIA

Jože PEZDIČ, Ana R. MEDVED, Edi BURIČ, Antonija LESAR, Janja ŽULA SKORNŠEK, Lucija PETRINJAK, Tine PEZDIČ, Robert MORAVEC, Gašper TAVČAR, Simon ZAVŠEK

IMPROVEMENTS IN HIGH PRESSURE SORPTION INVESTIGATIONS OF COAL:

CASE STUDY OF THE VELENJE LIGNITE

Drago POTOČNIK, Janez ROŠER, Milivoj VULIĆ

MONITORING AND PREDICTING SURFACE MOVEMENTS IN THE VELENJE COAL MINE AREA

Vujadin ALEKSIC, Srdjan BULATOVIĆ, Ljubica MILOVIC

NDT IN FUNCTION PREVENTION OF LOSS INTEGRITY OF STRUCTURES LARGE DIMENSIONS

Naim BAFITU

STORAGE AND PARAMETERS FRESH GRACE RECLAMATION POWER PLANTS KOSOVO

Prof. Stoyan CHRISTOV, dipl. eng. Delcho NIKOLOV

STRATEGY AND TACTICS AT DESIGNING AND EXPLOITATION OF DEEP OPENCAST MINES

Stojance MIJALKOVSKI, Zoran DESPODOV, Dejan MIRAKOVSKI, Marija HADZI-NIKOLOVA, Nikolinka DONEVA, Borce GOCEVSKI

MINING METHOD SELECTION FOR DEEPER PARTS OF "SVINJA REKA" ORE DEPOSIT - "SASA" MINE

Snezana VUKOVIC, Nenad VUSOVIC, Dejan PETROVIC, Andja SPASIC, Radoje PANTOVIC

THERMOVISION MONITORING OF THE PRODUCTION PROCESS IN FIRE PREVENTION

Vladan KASIC, Zivko SEKULIC, Slavica MIHAJLOVIC, Vladimir JOVANOVIĆ, Radule TOSOVIC

ANALYSIS OF UP-TO-DATE RESEARCH OF GOLD-BEARING ALLUVIUM DEPOSITS

FROM THE RIVER PEK-EAST SERBIA

Violeta ČOLAKOVIĆ, Vladan ČANOVIĆ

CHOICE OF OBJECTS FOR PROTECTION OF FLYING ASH AND BOTTOM ASH DEPOSITS FROM WATER

Živko SEKULIĆ, Vladimir JOVANOVIĆ, Slavica MIHAJLOVIĆ, Vladan KAŠIĆ, Dragan RADULOVIĆ, Branislav IVOŠEVIĆ

TECHNOLOGICAL PROCESS OF VALORIZATION OF CALCIUM CARBONATE

RAW MATERIAL FROM "KRALJEVA GORA" DEPOSIT

Risto DAMBOV, Todor DELIPETROV, Marjan DELIPETROV, Ilija DAMBOV

ANALYSIS OF THE OBTAINED STATISTICAL MEASUREMENT VALUES OF SEISMICAL BLASTING TREMORS

Saša MITIĆ, Dragan MILOJEVIĆ, Nenad MAKAR, Jovica NIKOLIĆ

UNDERGROUND PIT EXPLORATION IN THE "RAJIĆEVA GORA" NEAR BRUS, REPUBLIC OF SERBIA

MINING AND SAFETY**Branko LEKOVIĆ, Vesna KAROVIĆ MARIČIĆ, Dušan DANILOVIĆ**

DRILLING FLUIDS AND ENVIRONMENTAL SAFETY

Ion TOTH, Constantin LUPU, Doru CIOCLEA, Cristian TOMESCU, Ion GHERGHE

INCREASING THE SAFETY LEVEL IN HARD COAL EXPLOITATION THROUGH INNOVATIVE RESEARCH

Marija KUZMANOVIĆ, Aleksandar MILUTINOVIĆ, Mirko VUJOŠEVIĆ, Biljana PANIĆ

EVALUATION OF THE EXTERNAL RISKS IN THE COAL MINING COMPANY KOSTOLAC, SERBIA

Slobodan TRAJKOVIĆ, Suzana LUTOVAC, Marina RAVILIĆ, Nikolinka DONEVA

ASSESSMENT OF BLAST EFFECT OPEN PIT „RANCI” OF SHOCK WAVES

ON CONSTRUCTED FACILITIES AND ENVIRONMENT

Dejan MIRAKOVSKI, Marija HADZI-NIKOLOVA, Nikolinka DONEVA,**Stojance MIJALKOVSKI, Gorgi VEZENKOVSKI**

MINERS' EXPOSURE TO GASEOUS CONTAMINATES CURRENT SITUATION AND LEGISLATION

EXPLOITATION**Simon ZAVŠEK, Sergej JAMNIKAR, Jerneja LAZAR, Ludvik GOLOB**

CLEAN COAL TECHNOLOGIES AT PREMOGOVNIK VELENJE

MSc Trajche BOSHEVSKI, Prof. D-r Risto R. DAMBOV

USAGE OF EMULSION EXPLOSIVES ON SURFACE MINE "ZELENIKOVEC" - SKOPJE

Diana TASHEVA, Zdravko ILIEV

ANALYSIS OF OSCILLATIONS IN THE SLEWABLE SUPERSTRUCTURE

OF THE Sch Rs 1200M BUCKET WHEEL EXCAVATOR

Dr. Stefan HINTERHOLZER

THE WORLD'S LARGEST COMPACT BUCKET WHEEL EXCAVATOR BY SANDVIK

Shaip LATIFI, Ahmet TMAVA, Ibush JONUZI

PHENOMENON OF STONE THROWING IN OPEN CAST MINING AND QUARRIES

Ivana SIMOVIĆ, Nebojša KOSTOVIĆ, Mirko SAVIĆ, Dijana VLAJIĆ
FGD GYPSUM TRANSPORT AND DISPOSAL ALTERNATIVES AT SERBIAN THERMAL POWER PLANTS

Misad BEČIĆ, Ruža ČELIKOVIĆ
SPATIAL DISTRIBUTION OF MINING MECHANIZATION DELAYS
IN SURFACE MINE DEPARTMENT OF BLACK COAL MINE BANOVICI

Dušan ČIŽMEK, mag. Ludvik GOLOB, mag. Bojan LAJLAR
SHAFT SINKING AT VELENJE COAL MINE

Mašan TRIFUNOVIĆ, Momčilo MOMČILOVIĆ, Milan PAVLOVIĆ
EXCAVATION OF OVERBURDEN IN THE WATERED WORKING AREA
ABOVE THE ROOF OF COAL IN EASTERN PART OF OPEN PIT "DRMNO"

GEOPHYSICS IN MINING

Blagica DONEVA, Marjan DELIPETREV, Todor DELIPETROV, Zoran PANOV
USING SEISMIC METHODS FOR DEFINING OPTIMAL PARAMETERS FOR BLASTING

Marjan DELIPETREV, Sanja POSTOLOVA, Blagica DONEVA, Gorgi DIMOV, Todor DELIPETROV
APPLYING GEOMAGNETIC RESEARCH METHOD IN ALLUVIAL DEPOSITS OF GOLD

Zoran PANOV, Risto POPOVSKI, Radmila KARANAKOVA STEFANOVSKA
APPLICATION OF GEOELECTRICAL RESEARCH IN WORKING ENVIRONMENT
FOR SLOPE STABILITY IN SURFACE MINES ASSESSMENT

Munever ČERGIĆ, Hamid HUSIĆ, Rasim KOVAČEVIĆ, Amira JALMANOVIĆ, Elvedina NUMANOVIĆ
RESPONSE OF STRUCTURES TO SEISMIC EFFECTS OF BLASTING
IN THE VICINITY OF SURFACE MINING RMU "BANOVICI"

Vladimir MANEVSKI, Todor DELIPETROV, Blagica DONEVA, Marjan DELIPETROV, Gorgi DIMOV
GEO-ELECTRICAL MODELS BASED ON DATA GAINED FROM THE COAL MINE "SUVODOL"

Todor DELIPETROV, Krsto Blazev, Blagica DONEVA, Marjan DELIPETREV, Gorgi DIMOV
APPLICATION OF GEOPHYSICAL METHODS IN EXPLORATION
AND EXPLOITATION OF MINERAL RAW MATERIALS

COMPUTER INTEGRATED SYSTEMS

Aleksandar KRSTEV, Boris KRSTEV, Blagoj GOLOMEOV, Mirjana GOLOMEOVA, Afrodit ZENDELSKA, Zivko GOCEV, Jordan ZIVANOVIK
THE KINETIC MODELING FROM DOMESTIC ORES USING SOFTWARE TOOLS

T. PENZOV, H. NONCHEV, I. LALOV
MICROPROCESSOR CONTROL SYSTEM FOR OPTIMIZATION
OF ORE-GRINDING PROCESS IN SEMIAUTOGENOUS MILL

V. F. SKOROKHODOV, M. S. KHOKHULYA, A. S. OPALEV, V. V. BIRUKOV, R. M. NIKITIN
COMPUTATIONAL FLUID DYNAMICS AS THE RESEARCH TOOL FOR MINERALS SEPARATION PROCESSES

Elena GELOVA, Aleksandar KRSTEV, Jordan ZIVANOVIK, Aleksandra STOJANOVA
THE CONVEX PROGRAMMING

Yordanka ANASTASOVA, Nikolay YANEV, Kantcho IVANOV
APPLICATIONS OF MS PROJECT FOR CREATION AND MANAGEMENT SCHEDULES OF MINING ACTIVITIES

ROCK MECHANICS, MASSIF CONTROL AND SLOPE STABILITY

Prof. Georgi MIHAYLOV, Assoc. Proc. Georgi TRAPOV, Mariana TRIFONOVA
ANALYSIS OF STATE OF STRESS AND DEFORMATION OF THE MASSIF
TAKING INTO CONSIDERATION PROBABILISTIC NATURE OF MECHANICAL CHARACTERISTICS

MSC, Ing. Yili KOTEMELO, dr. Edmond GOSKOLLI, Ing. Arjo LULE
THE FALL OF THE EMBANKMENT IN BEJAR GEOLOGICAL PHENOMENA ANALYSIS (Case Study)

Gorgi DIMOV, Blagica DONEVA, Marjan DELIPETROV, Todor DELIPETROV
CORRELATION BETWEEN SEISMIC VELOCITIES AND GEOTECHNICAL PARAMETERS OF CARBONATE DEPOSITS

Dragan M. MILOŠEVIĆ, Željko PRAŠTALO, Simeun MARIJANAC, Zoran MILANOVIĆ
FUNCTIONAL REHABILITATION OF THE DISRUPTED NORTHERN SLOPE
OF THE OPEN PIT MINE ČIRIKOVAC IN THE COAL BASIN OF KOSTOLAC, REPUBLIC OF SERBIA

Huseyin ANKARA, Mehmet AKSOY, Suheyra YEREL, Yasar KESER, Zeynep CICEKCI
DETERMINATION OF SLAKE DURABILITY INDEX ON SATURATED SPHERICAL SAMPLES

KOZYREV A. A., SEMENOVA I.E., RYBIN V.V., AVETISYAN I.M.
RESULTS OF RESEARCH OF STRESS STRAIN STATE WITHIN DEEP OPEN PITS UNDER TECTONIC STRESSES

A. A. KOZYREV, V. V. RYBIN, K. N. KONSTANTINOV
FIELD-SCALE INVESTIGATIONS OF THE STRESS FIELD
AND THE EXCAVATION DAMAGED ZONE EXTENT, THE KOLA PENINSULA, RUSSIA

Sladjana KRSTIC, Vesna LJUBOJEV, Milenko LJUBOJEV, Dusan TASIC, Ivana JOVANOVIĆ
GEOTECHNICAL INVESTIGATIONS IN THE DAM 2 FLOTATION TAILINGS VELIKI KRIVELJ (SERBIA)

Vladimir VUTOV, Ventsislav IVANOV
METHODOLOGY FOR GEOMECHANICAL LOGISTICS OF DESIGN AND CONSTRUCTION
OF A TRANSPORT TUNNEL AT "ELATZITE COOPER" MINE, BULGARIA

Ljupcho DIMITRIEVSKI, Darko ILIEVSKI, Ljubisha KOSTADINOV, Ljube IVANOVSKI, Dragan MILENKOVSKI
GEOMECHANICAL STABILITY MONITORING IN THE REK BITOLA MINES

Slavica MIHAJLOVIĆ, Dušica VUČINIĆ, Živko SEKULIĆ, Vladimir JOVANOVIĆ, Dragan RADULOVIĆ
PHYSICAL-CHEMISTRY CHARACTERIZATION OF THE MODIFIED LIMESTONE

Ing. Petr TOMEK
SLIDING PARTS WEAR INFLUENCE TO DRIVE UNIT LOADING OF LONGWALL SHEARERS

Ljupce KULAKOV, Zoran GJORGIEVSKI, Zlatko ILIJOVSKI
WORKING AND FINAL SLOPES STABILITY ANALYSIS IN SURFACE EXCAVATION MINE R'ZANOVO

Vladimir JOVANOVIĆ, Živko SEKULIĆ, Branislav IVOŠEVIĆ, Slavica MIHAJLOVIĆ, Milan PETROV, Dragan RADULOVIĆ, Vladan KAŠIĆ
MECHANICAL PROPERTIES OF LIMESTONE BRIQUETTES WITH BENTONITE FOR CALCIFICATION OF ACID SOIL

Sair KAHRAMAN, M. Suat DELIBALTA, Ramazan COMAKLI
EVALUATING THE NOISE FROM BLOCK CUTTING MACHINES
USING THE PHYSICO-MECHANICAL ROCK PROPERTIES

BALKAN MINERAL INDUSTRY

Dragan S. RADULOVIĆ, Slavica R. MIHAJLOVIĆ, Vladimir D. JOVANOVIĆ, Dušica R. VUČINIĆ
POSSIBILITY OF USING LIMESTONE FROM "VOLUJICA" - ULCINJ DEPOSIT
AS FILLER IN VARIOUS INDUSTRY BRANCHES

Ass.prof. Željko VUKELIĆ, Marijan KRALJIĆ, Ass.prof. Evgen DERVARIĆ
LENDAVA - THE FIRST GEOTHERMAL CITY IN SLOVENIA

SYSTEM ENGINEERING

Bozica SANDIC, Jelena MILOSEVIC, Radmilo GLISIC
GREEN ENERGY FROM THE *NIKOLA TESLA* THERMAL POWER PLANTS
IN OBRENOVAC (Cooling Water System Hydropower Plant)

MANAGEMENT AND MINING ECONOMICS

Milena POPOVIĆ, Marija KUZMANOVIĆ, Mirko VUJOŠEVIĆ, Aleksandar MILUTINOVIĆ
MINIMIZATION OF BUSINESS RISKS IN MINING COMPANIES
THROUGH LOADERS-TRUCK EQUIPMENT SELECTION

Eng. Lachezar TSOTSORKOV PhD, Eng. Delcho NIKOLOV, Eng. Michail MICHAILOV
CYCLIC FLOW CONVEYOR SYSTEMS - PRESENT AND FUTURE
AT THE ASSAREL MINE OPERATIONS, ASSAREL-MEDET SC - BULGARIA

Prof. Dushan NIKOLOVSKI Ph.D.
METHODOLOGY FOR INVESTMENT DECISIONS IN ACTIVE MINES

Dr. Ari ARTINYAN, Luben DIMOV
ON-LINE ASH-ANALYZERS AND SCALES IN OPEN COAL MINES - Coal Quality Management System

Daniela MLADENOVSKA, Ana M. LAZAREVSKA
DETERMINING RELEVANT ATTRIBUTES AND CORRESPONDING INDICATORS
IN A DECISION MAKING CONCEPT FOR SITE-SELECTION OF COAL FIRED THERMAL POWER PLANTS

Ahmet BYTYÇI, Edmond GOSKOLLI, Idaver HISEINI, Nexhmi KRASNIQI
COST BENEFIT ANALYSIS IN LIMESTONE DEPOSIT, REPUBLIC OF KOSOVO

Marko BABOVIC, M.Sc., Branislav BABIC, B.B.A.
TECHNICAL-ECONOMIC FEASIBILITY OF THE EXECUTED GEOTECHNICAL INVESTIGATIONS
FOR THE NIKOLA TESLA B UNIT 3 AND SMALL HYDROPOWER PLANT CONSTRUCTION IN OBRENOVAC

Snežana KIRIN, Aleksandar SEDMAK, Tamara SEDMAK, Vesna DAMNJANOVIĆ
MODERN MINING INDUSTRY MANAGEMENT - SYNERGY OF QUALITY AND RISK BASED APPROACH

Svetomir MAKSIMOVIĆ, Igor MILJANOVIĆ
PHASES AND FIRST RESULTS OF SHAREHOLDING AND PRIVATISATION
IN PRODUCTION ENTERPRISES OF THE COAL INDUSTRY - EXPERIENCES OF OTHER COUNTRIES

Krastu DERMENDJIEV, George STOYANCHEV
THE MINING INDUSTRY FUTURE

Zoran PANOV, Radmila KARANAKOVA STEFANOVSKA, Risto POPOVSKI, Kirco MINOV, Blagica DONEVA
ANALYSIS OF THE TRANSPORT DISTANCES
IN DEFINING THE EXPLOITATION COSTS OF DEPTH OPEN PITS OF METALS

Prof. As. Dr. Skender LIPO, Dr. Arben BAKIU
MANAGEMENTS OF MINING RECOVERY

Prof Dr Shyqri KERMENDI, Fehmi AZEMI, Qazim JASHARI, Faton KERMENDI
IMPORTANT ECONOMICAL INDICATORS OF MODERN MINING PRODUCTION

MINERAL PROCESSING

Boris KRSTEV, Aleksandar KRSTEV, Mirjana GOLOMEOVA, Zivko GOCEV
THE PRESENTATION OF LEACHING AND BIO-LEACHING FROM DIFFERENT ORES USING SIMPLEX EVOP

Boris KRSTEV, Aleksandar KRSTEV, Mirjana GOLOMEOVA, Afrodita ZENDELSKA, Zivko GOCEV
THE OPTIMIZATION AND MATHEMATICAL MODELLING
- THE PRECONDITION FOR INCREASING OF RECOVERIES FROM DOMESTIC MINES

Milena DANOVSKA, Mirjana GOLOMEOVA, Dejan KARANFILOV, Afrodita ZENDELSKA
TREATMENT OF Fe(III) IONS FROM LEACHING SOLUTIONS WITH NEUTRALISATION AND PRECIPITATION

Dragan S. RADULOVIC, Velimir ANTANASKOVIC, Slavica R. MIHAJLOVIC, Branislav IVOSEVIC, Vladimir JOVANOVIĆ
CONCEPT OF SECONDARY AND TERTIARY CRUSHING PLANT FOR PROCESSING LIMESTONE
AND PRODUCTION OF ROCK AGREGATES FROM "SUVO DO" JOINT-STOCK COMPANY - JELEN DO DEPOSITS

Ivana JOVANOVIĆ, Srđana MAGDALINOVIC, Daniela UROSEVIC, Igor MILJANOVIĆ, Sanja BUGARINOVIC, Dragan MILANOVIĆ
POSSIBILITY OF BARITE CONCENTRATION FROM POLYMETALLIC SULPHIDE-BARITE ORE
USING GRAVITY AND FLOTATION CONCENTRATION METHODS

Miomir MIKIC, Daniel KRZANOVIĆ, Milenko LJUBOJEV, Radmilo RAJKOVIC
AUSCULTATION OF FLOTATION TAILINGS VELIKI KRIVELJ
WITH EMPHASIS ON THE CURRENT STATE OF KRIVELJ'S RIVER COLLECTOR, SERBIA

Shyqri KERMENDI, Halil QELA, Bajram MUSTAFA
MINING PRODUCTION OF CONCENTRATES AND BASE METALS IN THE REGION

Violeta STEFANOVA, Vojo MIRCOVSKI, Violeta STOJANOVA, Gose PETROV, Zoran PANOV
GOLD GRAIN MORPHOLOGY AND COMPOSITION IN SOME LOCALITY IN R. MACEDONIA

ENVIRONMENTAL ENGINEERING

Angelica DRĂGHICI, Gheorghe GHEȚIE, Lorand TOTH, Marius KOVACS, Cosmin ILIE
IMPACT OF THE WORKFLOW FROM QUARRYS
ON THE SURROUNDING ENVIRONMENT CASE STUDY - SC CUPRUMIN S.A. ABRUD

Nebojša ATANACKOVIC, Veselin DRAGISIC, Vladimir ŽIVANOVIĆ, Jana STOJKOVIC, Marina ĆUK, Petar PAPIĆ
ARSENIC IN MINE WATERS FROM ABANDONED BASE-METAL AND GOLD MINING SITES IN SERBIA

Orce SPASOVSKI, Daniel SPASOVSKI
HEAVY AND TOXIC METALS AND NUTRIENTS IN SEPARATE PLACES
IN THE RIVER BREGALNICA (EASTERN MACEDONIA)

Dragoljub UROSEVIC, Branimir ANDELIC, Uros UROSEVIC, Rasa DJUROVIC
CONTRIBUTION TO CONSTRUCTION, REMEDIATION AND RECULTIVATION
OF SECONDARY MINING AND ENERGY FACILITIES IN ORDER TO ENVIRONMENTAL PROTECTION

Dragan DRAŽOVIĆ, Pavle STJEPANOVIĆ, Klara KONC-JANKOVIC, Jasmina NEGROJEVIĆ
THE SEMI-INDUSTRIAL TEST OF THE EXPERIMENTAL SYSTEM
FOR RESEARCH OF THE FLYING ASH AND BOTTOM ASH HYDRO-TRANSPORT

Dijana VLAJIC, Mirko SAVIC, Ivana SIMOVIC, Lazar ANĐELIC, Željko PRAŠTALO
CONCEPTUAL SOLUTION FOR THE PERMANENT CLOSURE
OF FLY AND BOTTOM ASH DISPOSAL SITE AT TPP KOSTLAC A AND B

Daniel KRZANOVIĆ, Zoran VADUVESKOVIĆ, Nenad VUŠOVIĆ, Miomir MIKIC, Miodrag ŽIKIC
CONCEPTUAL SOLUTION OF DISPOSAL THE OPEN PIT WASTE ROCK AND DEWATERING SYSTEM
IN A FUNCTION OF ENVIRONMENTAL PROTECTION IN EXPLOITATION THE COPPER DEPOSITS
"KRAKU BUGARESKU - CEMENTACIJA" AND "CEROVO" SERBIA

Msc Aleksandar LAZAROV
ENVIRONMENTAL PROTECTION ACCORDING BEST AVAILABLE
TECHNIQUES FROM IMPACT AT TAILING DAM TORANICA

Orce SPASOVSKI, Daniel SPASOVSKI
GEOCHEMICAL CHARACTERISTICS AND SIGNIFICANCE OF TAILING DUMP
FROM POLYMETALLIC Pb - Zn DEPOSIT ZLETOVO (REPUBLIC OF MACEDONIA)

Ion GHERGHE, Doru CIOCLEA, Constantin LUPU, Corneliu BOANTĂ, Florin RĂDOI, Vlad Mihai PĂSCULESCU
GENERAL VENTILATION FANS USED FOR THE AERATION OF HARD COAL MINES IN JIU VALLEY COAL FIELD

Milinko RADOSAVLJEVIĆ, Siniša STOJKOVIĆ, Mihajlo GIGOV

PROBLEMS OF STUDY PREPARATIONS ON EVALUATION OF INFLUENCES
ON THE ENVIRONMENT FROM THE LEGAL REGULATIONS PERSPECTIVE

Grozdana NEŠIĆ, Miodrag ŽIKIĆ, Saša STOJADINOVIĆ, Snežana VUKOVIĆ, Nenad VUŠOVIĆ, Radoje PANTOVIĆ

SPECIFICITIES OF OPEN PIT TAMNAVA - WEST FIELD REMEDIATION

Afrodita ZENDELSKA, Mirjana GOLOMEOVA, Boris KRSTEV, Blagoj GOLOMEOV, Aleksandar KRSTEV

THE IMPACT OF THE TAILING DAM OF THE SASA MINE ON SOILS IN THE KOCANI VALLEY

Željko PRAŠTALO, Simeun MARIJANAC, Dragan M. MILOŠEVIĆ, Branka JOVANOVIĆ

TECHNICAL RECLAMATION OF THE FLYING ASH AND BOTTOM ASH DEPOT IN THE COAL BASIN KOSTOLAC

Tena SIJAKOVA-IVANOVA, Zoran PANOV, Vojo MIRCOVSKI

OPPORTUNITIES FOR UTILIZATION OF FLY ASH FROM THERMAL POWER PLANT, REPUBLIC OF MACEDONIA

RESTRUCTURING AND REENGINEERING

Gafur MUKA, Thoma KORINI, Vasil JORGJI, Ramiz BALLA

A CRITICAL REVIEW OF PROBLEMS ASSOCIATED
WITH THE REACTIVATION OF ABANDONED AREAS OF BULQIZA CHROME MINE

Marko RANZINGER, Marjan HUDEJ

REENGINEERING OF OLD RAILWAY TUNNELS LEŽEŠKI,
JURGOVSKI AND KRIŽIŠKI ON THE MAIN RAILWAY LJUBLJANA-KOPER

LEGISLATION, NORMS AND EDUCATION

Msc. Jorgaq THANAS, Eng. Bardhyl SHUSHKU

MINING WASTES IN ALBANIA - LEGISLATIVE FRAME AND THEIR STATE

Nevzat KAVAKLI Ph.D., Sadi CIVELEKOĞLU, Serdar ÇULHA M.Sc., Şükrü ŞAFAK M.Sc.

FEATURES OF TURKISH MINING LAW AND ITS IMPLEMENTATION

EXPLOITATION OF SOLID MINERAL RESOURCES

Prof. d-r Risto DAMBOV, Goran STOJKOSKI, Dimitar HRISTOV, Nikola RZANIKOSKI

TECHNO-ECONOMICAL ANALYSES OF THE METHODS FOR PRODUCING OF DIMENSION STONE BLOCKS

Goran BLAZESKI, Vladimir DILEVSKI

AUTOMATION SYSTEM FOR THE WELL DRAINAGE SYSTEM AT COAL MINE
"UNDERLYING SEAM SUVODOL", MINING POWER COMPLEX BITOLA

Branka JOVANOVIĆ, Miodrag PRIBIĆEVIĆ, Željko PRAŠTALO, Simeun MARIJANAC

LIMESTONE EXCAVATION TECHNOLOGY OF LIEBHERR R 984 C EXCAVATOR AT THE SURFACE MINE MUTALJ

Dragica STOJILJKOVIC, Snezana KOMATINA-PETROVIC, Biserka DIMISKOVSKA, Jelena STETIC, Jelena NINIC-TODOROVIC

ARRANGEMENT OF SURFACE EXCAVATIONS OF NON-METAL MINERAL RAW MATERIAL

Roman ROŠER, Marjan HUDEJ, Marko RANZINGER

EXPLOITATION OF SOLID MINERAL RESOURCES IN PAKA QUARRY

Wolfgang SCHROTH

HIGH UNDERGROUND COAL PRODUCTION,
BY MEANS OF POWERFUL AND HIGH PERFORMANCE SHEARER LOADERS

Nikolinka DONEVA, Marija HADZI-NIKOLOVA, Dejan MIRAKOVSKI, Stojanče MIJALKOVSKI

CONSTRUCTION OF HORIZONTAL MINING FACILITIES THROUGH SCHIST'S MASSIVE

Pece MURTANOVSKI, m-r Bojan LAJLAR, m-r Janez MAYER, Špegel BOŽO, Marijan LENART

NEW UNDERGROUND COAL MINE "MARIOVO"

Zoran ILIC, Rajko STOJAKOVIC, Zvonko BELACEVIC

MINING BASIN KOLUBARA - A VARIANT OF THE OPENING OF THE NEW OPEN PIT MINE

Zoran DESPODOV, Dejan MIRAKOVSKI, Stojance MIJALKOVSKI, Adjiski VANCHI, Borce GOCEVSKI

OPPORTUNITIES FOR REPAIRING THE UNLOADING BUNKER ON SHAFT GOLEMA REKA - SASA MINE

MINERAL RESOURCES AND MINE GEOLOGY

Miodrag BANJEŠEVIĆ, Duncan LARGE

THE TIMOK COPPER-GOLD PROJECT

- GEOLOGY AND MINERALIZATION (TIMOK MAGMATIC COMPLEX - EASTERN SERBIA)

Vojislav MRDJA

CONTRIBUTION TO THE KNOWLEDGE OF THE METALLOGENY IN ORE FIELD KOSMAJ-BABE

Msc Rade STANKOVSKI

GEOLOGY CHARACTERISTICS AT TORANICA DEPOSIT

Krsto BLAZEVIĆ, Blagica DONEVA, Marjan DELIPETREVIĆ, Gorgi DIMOV

QUARTZ RAW MATERIALS IN THE REPUBLIC OF MACEDONIA

Violeta STOJANOVA, Goše PETROV, Violeta STEFANOVA, Blazo BOEV

GEOLOGICAL AND CHEMICAL CHARACTERISTICS OF DIATOMACEOUS EARTH
FROM THE DEPOSIT VESHJE NEAR NEGOTINO - R. MACEDONIA

Msc Zlatko ILIJOVSKI, Stojan MIHAILOVSKI, Dragan NASEVSKI, Ljupce PETREVSKI, Blagoj GJORGIEVSKI, Mirjana TRPCEVSKI

DRAINAGE WELLS CONSTRUCTION AS PART OF S.E.M. SUVODOL, REK BITOLA

Laste IVANOVSKI, Zlatko ILIOVSKI, Elizabeta RALEVA

RESULTS FROM THE MOST RECENT GEOLOGIC INVESTIGATIONS OF THE COAL MINE MARIOVO

Elizabeta RALEVA, Zlatko ILIJOVSKI, Laste IVANOVSKI, Trifun MILEVSKI

RESULTS FROM NEWEST GEOLOGICAL INVESTIGATIONS OF COAL DEPOSIT "ZIVOJNO"

Rudolf TOMANEC, Predrag LAZIĆ, Radmila GAĆINA, Sanja BAJIĆ

ORE MICROSCOPY ANALYSIS METHODS IN MINERAL CONCENTRATION PROCESSES

Vojo MIRCOVSKI, Violeta STEFANOVA, Tena SIJAKOVA-IVANOVA, Gorgi DIMOV, Vasko MIRCOVSKI

UTILIZING GABBRO OF SITES PANTELEJ AS CONSTRUCTION-TECHNICAL STONE

HISTORY AND MINE EDUCATION

Jovica NIKOLIĆ, Nenad MAKAR, Dragan MILOJEVIĆ, Saša MITIĆ

CONCEPT OF THE MINING MUSEUM IN KOSTOLAC, REPUBLIC OF SERBIA

Valentina MANEVSKA, Roze ARSOVSKA

REFORMING THE EDUCATIONAL SYSTEM - BUILDING QUALITY WORKFORCE



GOLD GRAIN MORPHOLOGY AND COMPOSITION IN SOME LOCALITY IN R. MACEDONIA

**Violeta STEFANOVA¹, Vojo MIRCOVSKI², Violeta STOJANOVA³,
Gose PETROV⁴ Zoran PANOVA⁵**

¹*Faculty of natural and technical sciences, Stip, R. Macedonia, violeta.stefanova@ugd.edu.mk*

²*Faculty of natural and technical sciences, Stip, R. Macedonia, vojo.mircovski@ugd.edu.mk*

³*Faculty of natural and technical sciences, Stip, R. Macedonia, violeta.stojanova@ugd.edu.mk*

⁴*Faculty of natural and technical sciences, Stip, R. Macedonia, gose.petrov@ugd.edu.mk*

⁵*Faculty of natural and technical sciences, Stip, R. Macedonia, zoran.panova@ugd.edu.mk*

ABSTRACT

During the water transport alluvial gold is affected by various physical and chemical factors. It was selected three locality where was studied changes in chemical composition and morphological forms of gold aggregates: Borov Dol, Plavica and Alshar where is carried schlich prospection. Studies have shown that the size of the tested gold aggregates ranges from 30 microns to 1 mm., usually present form of gold aggregates is isometric-irregular shape.

Flakes-flattened shape also quite prevalent as elongated for. Gold aggregates in a Borov Dol as a whole is characterized by constant chemical composition, more exactly, it is homogeneous and high grade almost everywhere with purity that ranges from 834 to 981st In Alshar despite the presence of gold in chemical analysis, with schlich prospection were not discovered gold aggregates.

Key words: schlich prospection, placer gold, morphology, high-gold grain

KEYWORDS

schlich prospection, placer gold, morphology, high-gold grain

1. INTRODUCTION

In Macedonia known many metallic and non-metal minerals, including gold. Studies of gold in Macedonia have a long history. There are many areas in which established the presence of endogenic gold. Eluvial-alluvial gold undoubtedly bears the marks of the endogenic gold. The physico-chemical characteristics of such gold affect many factors among which are: the nature of the primary gold, water power, the morphology of the river and along the transport and chemical composition of river water.

The importance of these factors varies depending on the climate, the intensity of erosion etc.. As a result of these processes, the characteristics of primary gold change. The most characteristic morphological and chemical changes (dissolution and precipitation), and the chemical changes are usually represented by forming parts rim offsets that are enriched with gold.

The large number of occurrences of gold, about thirty, are more or less studied and provide further impetus for serious research ([17], [12], [3], [4], [5], [15], [16],[20],[21],[25],[8], [27], [28], [9], [34], [29]).

Most of these appear economically not interesting but because of genetic aspect can be quite interesting.




Figure 1: Geological map with placer gold occurrences in R. Macedonia

The main objective of this research was to study the gold aggregates were found with schlich prospection in three locality wich were selected as representatives of different genetic types of deposits: Borov Dol, Alshar and Plavica (Figure 1).

2. Geological setting

The territory of Macedonia is located in the central belt of Cu-Pb-Zn-Au-Ag mineralization and can distinguish three different types of gold deposits: 1. carline type; 2. epithermal deposits of gold and silver 3. porphyry deposits of copper with gold ([22]). The first type belongs Alshar locality, second type Plavica and third type belongs locality Borov Dol. In all these localities ore mineralization is related to Tertiary magmatizam.

Borov Dol deposit is part of the Bucim-Damjan-Borov Dol ore district and occupies the southern regions. Metallogeny of this area is closely related to the evolution of the Tertiary magmatizam presented with subvolcanic-faces of volcanic andesite, latite, kvarclatite, trahiriolite etc.. which are the product of intermediate to acidic calc-alkaline magmatism. For this magmatism are related numerous interesting mineralization of Cu, Fe, Pb-Zn mineralization and Au ([2], [33], [24], [26]).

At Borov Dol set is over 60 minerals of which the most common are: pyrite, chalcopyrite, magnetite, molibdenite, hematite, native gold ([19], [32], [33]).

The deposit Plavica affecting eastern parts of Kratovo-Zletovo volcanic area or rather it is located in the central parts of Plavica volcanic apparatus ([7]). Ore mineralization in Plavica is located in the central part of a large blighted caldera. It is characterized by a complex structure construction and extensive hydrothermal changes ([18]). At the locality Plavica discovered a rich and varied mineralization represented by: pyrite, chalcopyrite, pirotine, magnetite, chalcopyrotine, shelit, hematite, martite, molibdenite, sphalerite, galena, bornite, tenantite, native gold etc. ([18], [12], [25]). Silificate zones (so-called secondary quartzite) are particularly important as carriers of gold with average content ranging around 1.29 ppm ([20]).

Alshar locality geotectonic belongs to Vardar tectonic zone, which stretches north from Belgrade to Thessaloniki-Greece to the south. Specifically Alshar locality, with an area of 21 km²

belongs to Kozuv district. Kozuv area is a large volcanic complex located in the southern part of the Republic Macedonia and has been developed in the area of the mountain Kozuf. Pliocene magmatism which is important for geology of Alshar is related to Sb-As-Tl-Au-Cu-Pb-Zn mineral association.

3. Methodology and sampling

Shlich method during fieldwork was applied. For this method was taken material from 15-20 kg depending on the availability of material. Then it approached to flushing material and received shlich undergo further processing laboratory which includes magnetic separation and then determination of minerals under stereomicroscope. Aggregates of gold allocated manually.

To determine the morphological characteristics of gold applied scanning electron microscopy in the laboratory for electron microscopy in Chemistry Faculty of Sofia University. Tests were performed on scanning JMS-electron microscope JEOL-5510. For this method first forms is covered with a thin gold layer in an inert environment using cathode sputtering JFC-1200 Fine Coater.

Quantitative analysis of gold grains do with electronic microprobe. This analyses were conducted in: Evrotest-Control-Inc-Lab Analysis X-ray microanalyser X-TRACTOR NORTHERN TN-2000 energy dispersive system as part of an electronic microscope JEOL LMS 35 CF. Microprobe analyses also were performed in the laboratory at the Institute for photoprocesses the BAS-Sofia. It was used for energy dispersive systems electron microscope Philips CEM 505 firm model EDAX 9100/60 with tension of 20 kV.

4. Results and discussion

When grains of gold will get rid of the parent rocks, physically and mechanically deform depending on the length of transport. Measuring the shape of gold grains mostly circular form, the degree of curvature and flatness may indicate the type of source and length of transportation ([11], [10]). According to Styles, ([30]), measuring the size and shape of the gold aggregates provide little information about the origin of alluvial gold. Many angular and irregular shapes, show that alluvial gold is near its primary source as abrasive and circular forms suggest the transport of several kilometers.

The size of the found gold aggregates at the Borov Dol locality ranges from 150 microns up to 1 mm. The morphology of the aggregates is different. Commonly occur: an elongated shape, isometric form, scaly and globular shape (Figure 2). These forms indicate the proximity of primary mineralization. If gold is subjected to secondary processes, then there was curvature of the edges and smoothing the surface and increases the flatness of grains. Flattened form of gold due to the significant transport of gold and primarily due to the small fortress and malleable of gold as a mineral.

Morphology of gold aggregates in Borov Dol locality is relatively preserved and roundness indicates that it was subjected to secondary processes. Such characteristic suggests that this gold probably has similar characteristics as the primary gold ([13]) and it has long undergo because transport form of gold depends on the length of transport.

Taking into account these data we can say that the gold from Borov Dol belongs to the group of high grade gold ([35]) with a purity that ranges from 834 to 981. As impurities in the composition of gold Borov Dol, contains silver which varies from 0.82-15.87% and average content is about 7%. Low content of silver may indicate a higher temperature mesothermal deposits, ([30]). It may have noticed an increase of fineness of gold over transportation. In a number of aggregates is common zonality where the central parts of the grains are richer in gold and peripheral or peripheral parts are richer in silver. ([28]).




Figure 2: Morphological forms of appearance and details of gold aggregates from the Borov Dol locality
A- general appearance of elongated spindly gold aggregate
B- detail of previous aggregate-layered structure
C- detail of larger crystals of the same aggregate
D- general appearance of the loaf, gold round aggregate

From these tests for chemical composition is determined that it is native gold which is characterized by high purity (Table 1).

Table 1: Medium Golden aggregates content in samples from Borov Dol

	Au	Ag	Cu	Fe
BD-4	91.60	7.62	0.46	0.026
BD-5	90.79	8.47	0.47	0.048
BD-6	98.15	0.99	0.46	0.056
BD-9	88.44	10.55	0.60	0
BD-10	87.04	11.73	0.48	0.052
medium content	91.20	7.87	0.49	0.036

Studies on the relationship between the composition of gold and length of transportation, have shown that there is no change in microchemical entry of alluvial gold during transport, which is not the case with morphological forms or form of aggregates of gold ([6]). Taking into account the fact that gold aggregates in general have a homogeneous composition (measurement performed in the center of the aggregates) can be assumed that the gold aggregates come from one source. The composition of gold and its morphological forms can be used as a direct prospecting indicator for porphyry copper mineralizations ([23]).

The deposit Plavica is epithermal system of high sulfidation type of mineralization ([20]). Polymetallic occurrences in this system have been studied since Roman times for the remaining of the old mining - slag, old undermine etc. Research in this area is conducted with larger or smaller cuts until today and can say that this is one of significant copper deposits with polymetallic character. Our investigations were aimed at exogenic gold and for that purpose from Plavica locality were taken 15 schlich probe and found a total of 44 gold grains of different sizes. In order to examine the morphology of the gold aggregates were found, tests are performed on scanning electron microscope in which was reported that the size of the grains is different and varies from about 50 to 200 microns.

Grains are mostly characterized by irregular shape-isometric form. In general form can be distinguished: isometric elongated shapes that can be deemed to have beads that are suspended near the roots sources. Then there are irregular shapes dendritic, flakes forms probably postpone away from primary sources and also can be transported at considerable distances, ([31]) (Figure 3).




Figure 3: Morphological forms of appearance and details of gold aggregates from Plavica locality

A-isometric form of aggregate gold

B-gold sets with irregular shape

C-isometric form of gold aggregate

D-Druze of crystals-tiny detail from Fig. C

The ability to transfer or transport among others depends from the thickness of the grains. Gold grains from Plavica by size fall into the class of very small grains. ([13]). Almost all grains of gold were observed stratified construction of gold aggregates. In the gold aggregates are observed small crystal forms. In general basic feature of alluvial gold are characteristic different morphological forms. Near the primary deposit, prevailing elongated and dendritic forms while octahedral crystal forms are very common. With increasing length of transport, prevail flakes forms.

To determine the chemical composition of gold aggregates analyses of microprobe are made (Table 2).

Table 2: Medium Golden aggregates content in samples from Plavica locality

	Au	Ag	Cu	Fe
PI - 1	96.08	2.94	0.45	0.073
PI -3	93.79	5.52	0.44	0.052
PI - 4	93.56	5.81	0.42	0.095
PI - 5	79.01	20.47	0.40	0.113
PI - 11	97.56	1.76	0.44	0.073
PI -12	86.51	12.74	0.40	0.123
PI - 13	95.35	3.78	0.42	0.073
PI - 14	94.38	4.75	0.55	0
Medium content	92.03	7.22	0.44	0.075

The accompanying results show that gold from Plavica is high grade (842-994). Chemical analyzes of gold aggregates show that silver is an element that is commonly found as admixture and can sometimes be found copper and iron content in a few %. The content of silver ranges between 0.18% to maximum 21.7%. Average silver content in Plavica is 7:22%. In alluvial gold, silver content can vary from 32 to 50 weight percent (with an average of 630 finesse) and other elements not spend a 1 wt.%. ([1]). Taken as a whole aggregates of gold are characterized by constant composition, ie it is homogeneous and visokoprobno almost everywhere. The other impurities found in gold is copper with content between 0.25 - 0.68%. Iron is much smaller content ranging from 0:08 to 0:28%.

The third locality on which conduct schlich prospection is Alshar which is a deposit of arsenic and antimony as well as significant quantities of gold content. Gold mineralization was first mentioned in the 1974th The analysis of the results showed that the geological, mineralogical and chemical characteristics and hydrotherm alteration suggest similarities with carline type of gold in the U.S. ([14], [16]) by the Alshar mineralization gold is stored not only in sediments but also in volcanite. Alshar deposit is divided into three parts: northern part dominated mineralization of talium, central part of Sb-As mineralization with interesting content and gold, south which is characterized as carline type of mineralization.

Despite the established presence of gold with schlich prospection not found gold aggregates. Probably for this reason submicorscopic size of gold (<0.2 μm) wich is one of the features of carline types of gold deposit ([36]).

Taking into account all previous findings and the results we can say that gold aggregates were examined according to the size of grains form, indicate the proximity of primary mineralization from which originated the gold.

REFERENCES

- [1] Bahna B., Smirnov A., Chovan M. & Bakos F.: River transport – induced hanges in chemical composition of alluvial gold (documented on localities of Western Carpathians). *In: Geol. Carpath. (Bratislava), 53 (spec. iss.), 2002, 105 – 107.*
- [2] Bogoevski K., Denkovski G., Bandilov L.: Studija za zlato vo Makedonija so poseben osvrt na rudniot reon Bucim-Damjan-Borov Dol, Strucen Fond Geoinstitut, Skopje, 1990, pp. 125
- [3] Bogoevski, K., Denkovski, G., Georgiev, D.: Geological features of gold occurences in the Strumica area, Republic of Macedonia. *Geologica Macedonica*, Stip, Vol. 10,

- 1996, 47-56.
- [4] Bogoevski K.: Zlatoto vo Makedonija. Naucno-istrazuvacki proekt, Rudarsko-geoloski fakultet Stip, 1997, pp. 358
 - [5] Bogoevski K.: Gold in Macedonia-geology, metalogenic, features, ore occurrences, gold ore deposits and their evaluation. Special Issue No. 7, 1998, pp. 249
 - [6] Chapman R. J., Leake R. C., Moles N.R., Earls G., Cooper C., Harington K., Berzins R.: The application of Microchemical Analysis of Alluvial Gold Grains to the Understanding of Complex Local and Regional Gold Mineralization: A case Study in the Irish and Scottish Caledonides, *Economic Geology*, Vol 95. 2000, pp. 1753-1773
 - [7] Ivanov T., Denkovski G.: Geologija na metalogenetskiot jazel Plavic-Zlatica vo Kratovsko-Zletovskata metalogenetska oblast. Zbornik Radova IX Kongres geologa Jugoslavije, Sarjevo, 1978, pp 767-777
 - [8] Kovacev V., Stefanova V., Boev B., Mladenov V.: Stream Sediments and Bleg Analysis by Prospecting of Gold in Alshar (Carlin Type Deposit), Macedonia. *Proceedings XVIIIth Congress of the Carpathian-Balkan Geological Association*, Belgrade, Serbia, 2006, pp. 281-285
 - [9] Kovacev V., Stefanova V., Nedelkov R., Mladenov V.: Eluvial-alluvial gold from gold-copper occurrence Borov Dol (R. Macedonia). Part I: Geochemistry of stream sediments and their relation to the source rocks and ores. *Review of the Bulgarian Geological Society*, vo. 68, part 1-3, 2007, pp. 66-76
 - [10] Knight J.B., Morison S.R. and Mortensen J.K.: The relationship between placer gold particle shape, rimming, and distance of fluvial transport as exemplified by gold from the Klondike District, Yukon Territory, Canada; *Economic Geology*, v. 94, 1999, p. 635-648
 - [11] Mudaliar G.G., Richards J.P., Eccles D.R.: Gold, Platinum and Diamond Placer Deposits in Alluvial Gravels, Whitecourt, Alberta, EUB/AGS Special Report 089 (May 2007), 2007, pp 35
 - [12] Mudrinic S.: Retki i plemeniti metali u Cu-polimetalicnom lezistu Plavica Zletovo (Istocna Makedonija) XI kongres geologa Jugoslavije, Tara; 1986, str.193-204
 - [13] Петровскаја Н. В.: Самородное золото. М. Недра, Москва, 1973, стр. 347
 - [14] Persival T. J.: Preliminary Geological report on the Alshar District, Macedonia-Nassau Ltd., Inter. Report, 1990, 44 p.
 - [15] Persival T. J., Radke A., Jankovic S., Diskinson F.: Gold Mineralization of the Carlyn type- in the Alshar district, SR Macedonia, Yugoslavia.,- in Y.T. Maurice, ed. *Proc. the Eight IAGOD symposium Ottawa, Canada Proceeding.*, E. Schweizerbart'sche Verlag, Stuttgart, 1992, 637-646
 - [16] Persival T. J., Radtke A.: Sedimentary Rock-hosted disseminated Gold Mineralization in the Alshar District, Macedonia-The Cand. *Mineralogist*, 32, 1994, 649-655
 - [17] Serafimovski T.: Prognoza aluvijalnih lezista Istocne Makedonije. Rudarsko-geoloski fakultet Beograd, Diplomski rad, 1978, pp. 34
 - [18] Серафимовски Т.: Металогенија на зоната Леце-Халкидик, докторска дисертација, Штип, 1990, стр. 380
 - [19] Serafimovski T., Tudzarov N., Mitevski G.: Mineralen sostav i paragentski odnosi vo porfirskoto bakarno naogaliste Borov Dol. *Geologica Macedonica*, Vol. 6, 1992 pp. 87-98
 - [20] Serafimovski T., Rakic S.: New geochemical data concerning gold related to silification zones in The Plavica volcanic structure, Eastern Macedonia. *Mineral deposits: Processes to Processing*, Vol. 1, 1999, pp. 585-588

- [21] Serafimovski T., Boev B., Tasev G.: New interpretation of the lithogeochemical data from Alshar epithermal Au-mineralized area, *Geologica Macedonica*, Vol. 13, 1999, pp. 1-11.
- [22] Serafimovski T., Volkov V. A. and Tasev G.: Types of gold deposits in Macedonia. Prv Kongres na Geolozi na Republika Makedonija-Ohrid, *Zbornik na trudovi*, 2008, str. 187- 192.
- [23] Serafimovski V., Stefanova V., Volkov A. V.: Dwarf Copper-Gold Porphyry Deposit of the Buchim-Damjan-Borov Dol Ore District, Republic of Macedonia (FYROM). *Geologiya Rudnykh Mestorozhdenii*, Vol. 52, No3, 2010, pp 203-220.
- [24] Stefanova V. Nedelkov R., Moritz R.: Magmatizam of the Borov Dol copper occurrence. Annual Scientific Conference of the Bulgarian Geological Society, *Proceedings*, 2004, pp.75-77
- [25] Stefanova V.: Eluvijalno-deluvijalni pojavi na zlato povrzani za tercierni magmatizam vo R. Makedonija. *Doktorska disertacija*, 2005, pp.198
- [26] Stefanova V., Serafimovski T., Nedelkov V., Kovacev V.: Petrological and Geochemical characteristics of the volcanic rocks in the Buchim District. *Geologica Macedonica*, Vol. 20, 2006, pp. 1-11
- [27] Stefanova V., Serafimovski T., Nedelkov R.: Mineralogical and chemical characteristic of the most important minerals in the volcanic rocks of the Kratovo-Zletovo volcanic area, *Geologica Macedonica*, Vol. 21, 2007, pp. 1-10
- [28] Stefanova V., Kovacev V., Mladenov V., Stanimirova C.: Eluvial-alluvial gold from gold-copper occurrence Borov Dol (R. Macedonia). Part II: Mineralogy of gold and stream sediments. *Review of the Bulgarian Geological Society*, vo. 68, part 1-3, 2007, pp. 77-91
- [29] Stefanova V., Serafimovski T., Tasev G. and von Quadt A.: Placer gold prospecting around the Tertiary occurrences in the Republic of Macedonia. (Eds. A. von Quadt & T. Serafimovski) *Diversity of copper and gold deposits in the Eastern Europe Balkan, Carpathian and Rhodopean belts: tectonic, magmatic and geochronological investigations; SCOPEs Project-International Conference*, May 29 - June 02, 2012 - Izgrev Hotel, Stip, Macedonia, 2012, pp. 33
- [30] Styles M. T.: Alluvial Gold Characterisation in Exploration Planning: Project Summary Report BGS Technical Report WC/95/38, 1995
- [31] Тарабаев М. Б.: Морфологические особенности склонового золота-Критерии поисков коренных источников. Минералогические Картирование и Индикаторы Оруднения. *Сборник Научных трудов, "Наука" Ленинград*. 1990
- [32] Tudzarov N.: Metalogenija na naogalisteto na bakar Borov Dol, *doktorska disertacija*, Stip, 1993, pp. 195
- [33] Tudzarov N.: The zonality of sulphide minerals and geochemical association in the Borov Dol deposit. *Geologica Macedonica*, Vol. 8, No. 1, 1994, pp.35-38
- [34] Volkov A.V., Stefanova V., Serafimovski T., Sidorov A.A. R.: Native Gold of the Porphyry Copper Mineralization in the Borov Dol Deposit (Republic of Macedonia). *Doklady Earth Sciences*, Vol. 422, No. 7, 2008, pp. 1013-1017
- [35] Zaharova E. M.: *Mineralogia Rossipei*, Nedra, Moskva, 1994, pp 191
- [36] Zhou Y., Wang K.: Gold in the Jinya Carlin-type Deposit: Characterization and Implications, *Journal of Minerals & Materials Characterization & Engineering*, Vol. 2, No.2, 2003, pp 83-100